




addiblast[™]
by FerroECOBlast®



MARS01

Metal Additive Removal System

Technical specifications



Basic configuration

- Big window for process monitoring
- Heavy-duty gloves for manual work
- LED workspace illumination
- Manual rotary table, Ø 600 mm + lock
- Butterfly valve closed collection hopper
- Manual blow-off gun
- Safety fixtures for safe work
- Electronic control box for managing all the machine functions
- Connection for dust extraction unit, Ø 50mm
- Ex

Dimensions (L x W x H)	1500 mm x 1200 mm x 2050 mm
Workspace size (L x W x H)	850 mm x 900 mm x 1000 mm
Load capacity	250kg
Compressed air (min - max)	6 bar / 87PSI - 8 bar / 116 PSI
Air consumption	600l/min
Power	3 x 230/400V, 3/N/PE 50/60Hz
Weight	700kg

Optional equipment and features

- Cabinet UV lighting
- Pneumatic top opening slot for overhead crane loading
- Powder collection bin, 40l volume

Post processing, **redefined.**

Designed and produced in sLOVEnia by

Addiblast by FerroECOBlast

Sela pri Dolenjskih Toplicah 47
SI-8350 Dolenjske Toplice
Slovenia, EU

www.addiblast.com
info@addiblast.com